

File Copy
09/991,099
updated

Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br
Search PubMed for MSH4 AND MSH5 Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Items 1-18 of 18

One page.

Text Version

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

1: Colaiacovo MP, MacQueen AJ, Martinez-Perez E, McDonald K, Adamo A, La Volpe A, Villeneuve AM. Related Articles, Links

Synaptonemal complex assembly in *C. elegans* is dispensable for loading strand-exchange proteins but critical for proper completion of recombination.
Dev Cell. 2003 Sep;5(3):463-74.
PMID: 12967565 [PubMed - indexed for MEDLINE]

2: Santucci-Darmanin S, Paquis-Flucklinger V. Related Articles, Links

[Homologs of MutS and MutL during mammalian meiosis]
Med Sci (Paris). 2003 Jan;19(1):85-91. Review. French.
PMID: 12836196 [PubMed - indexed for MEDLINE]

3: de los Santos T, Hunter N, Lee C, Larkin B, Loidl J, Hollingsworth NM. Related Articles, Links

The Mus81/Mms4 endonuclease acts independently of double-Holliday junction resolution to promote a distinct subset of crossovers during meiosis in budding yeast.
Genetics. 2003 May;164(1):81-94.
PMID: 12750322 [PubMed - indexed for MEDLINE]

4: Mandon-Pepin B, Oustry-Vaiman A, Vigier B, Piumi F, Cribiu E, Cotinot C. Related Articles, Links

Expression profiles and chromosomal localization of genes controlling meiosis and follicular development in the sheep ovary.
Biol Reprod. 2003 Mar;68(3):985-95.
PMID: 12604652 [PubMed - indexed for MEDLINE]

5: Her C, Wu X, Griswold MD, Zhou F. Related Articles, Links

Human MutS homologue MSH4 physically interacts with von Hippel-Lindau tumor suppressor-binding protein 1.
Cancer Res. 2003 Feb 15;63(4):865-72.
PMID: 12591739 [PubMed - indexed for MEDLINE]

6: Mandon-Pepin B, Derbois C, Matsuda F, Cotinot C, Wolgemuth DJ, Smith K, McElreavey K, Nicolas A, Fellous M. Related Articles, Links

[Human infertility: meiotic genes as potential candidates]
Gynecol Obstet Fertil. 2002 Oct;30(10):817-21. Review. French.
PMID: 12478991 [PubMed - indexed for MEDLINE]

7: Lipkin SM, Moens PB, Wang V, Lenzi M, Shanmugarajah D, Gilgeous A, Thomas J, Cheng J, Touchman JW, Green ED, Schwartzberg P, Collins FS, Cohen PE. Related Articles, Links

Meiotic arrest and aneuploidy in MLH3-deficient mice.
Nat Genet. 2002 Aug;31(4):385-90. Epub 2002 Jul 01.

PMID: 12091911 [PubMed - indexed for MEDLINE]

 **8:** [Meyer C, Scheller J, Kramer W.](#)


[Related Articles, Links](#)



Transcription of mutS- and mutL-homologous genes during meiosis in *Saccharomyces cerevisiae* and identification of a regulatory cis-element for meiotic induction of MSH2.

Mol Genet Genomics. 2001 Jul;265(5):826-36.

PMID: 11523800 [PubMed - indexed for MEDLINE]

 **9:** [Agarwal S, Roeder GS.](#)


[Related Articles, Links](#)



Zip3 provides a link between recombination enzymes and synaptonemal complex proteins.

Cell. 2000 Jul 21;102(2):245-55.

PMID: 10943844 [PubMed - indexed for MEDLINE]

 **10:** [Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane MF, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edlmann W.](#)


[Related Articles, Links](#)



MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.

Genes Dev. 2000 May 1;14(9):1085-97.

PMID: 10809667 [PubMed - indexed for MEDLINE]

 **11:** [Bocker T, Barusevicius A, Snowden T, Rasio D, Guerrette S, Robbins D, Schmidt C, Burczak J, Croce CM, Copeland T, Kovatich AJ, Fishel R.](#)

[Related Articles, Links](#)



hMSH5: a human MutS homologue that forms a novel heterodimer with hMSH4 and is expressed during spermatogenesis.

Cancer Res. 1999 Feb 15;59(4):816-22.

PMID: 10029069 [PubMed - indexed for MEDLINE]

 **12:** [Winand NJ, Panzer JA, Kolodner RD.](#)


[Related Articles, Links](#)



Cloning and characterization of the human and *Caenorhabditis elegans* homologs of the *Saccharomyces cerevisiae* MSH5 gene.

Genomics. 1998 Oct 1;53(1):69-80.

PMID: 9787078 [PubMed - indexed for MEDLINE]

 **13:** [Pochart P, Woltering D, Hollingsworth NM.](#)

[Related Articles, Links](#)



Conserved properties between functionally distinct MutS homologs in yeast.

J Biol Chem. 1997 Nov 28;272(48):30345-9.

PMID: 9374523 [PubMed - indexed for MEDLINE]

 **14:** [Hunter N, Borts RH.](#)

[Related Articles, Links](#)



Mlh1 is unique among mismatch repair proteins in its ability to promote crossing-over during meiosis.

Genes Dev. 1997 Jun 15;11(12):1573-82.

PMID: 9203583 [PubMed - indexed for MEDLINE]

 **15:** [Hollingsworth NM, Ponte L, Halsey C.](#)

[Related Articles, Links](#)



MSH5, a novel MutS homolog, facilitates meiotic reciprocal recombination between homologs in *Saccharomyces cerevisiae* but not mismatch repair.

Genes Dev. 1995 Jul 15;9(14):1728-39.

PMID: 7622037 [PubMed - indexed for MEDLINE]

☐ **16:** [Castrucci AM, Hadley ME, Wilkes BC, Hruby VJ, Sawyer TK.](#) [Related Articles](#), [Links](#)



Melanotropin structure-activity studies on melanocytes of the teleost fish, *Synbranchus marmoratus*.

Gen Comp Endocrinol. 1989 May;74(2):209-14.

PMID: 2714625 [PubMed - indexed for MEDLINE]

☐ **17:** [Castrucci AM, Hadley ME, Sawyer TK, Wilkes BC, al-Obeidi F, Staples DJ, de Vaux AE, Dym O, Hintz MF, Riehm JP, et al.](#) [Related Articles](#), [Links](#)



Alpha-melanotropin: the minimal active sequence in the lizard skin bioassay.

Gen Comp Endocrinol. 1989 Jan;73(1):157-63.

PMID: 2537778 [PubMed - indexed for MEDLINE]

☐ **18:** [Hruby VJ, Wilkes BC, Hadley ME, Al-Obeidi F, Sawyer TK, Staples DJ, de Vaux AE, Dym O, Castrucci AM, Hintz MF, et al.](#) [Related Articles](#), [Links](#)



alpha-Melanotropin: the minimal active sequence in the frog skin bioassay.

J Med Chem. 1987 Nov;30(11):2126-30.

PMID: 2822931 [PubMed - indexed for MEDLINE]


Display **Summary** **Show:** **20** **Sort** **Send to** **Text**

Items 1-18 of 18

One page.

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Apr 13 2004 06:53:40



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Pollard J AND MSH5 Go Clear

Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Items 1-2 of 2

One page.

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health


Clinical Alerts

ClinicalTrials.gov


PubMed Central

Privacy Policy

- ☐ 1: [Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane ME, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edelmann W.](#) Related Articles, Links


 **MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.**
Genes Dev. 2000 May 1;14(9):1085-97.
PMID: 10809667 [PubMed - indexed for MEDLINE]

- ☐ 2: [Edelmann W, Cohen PE, Kneitz B, Winand N, Lia M, Heyer J, Kolodner R, Pollard JW, Kucherlapati R.](#) Related Articles, Links

 **Mammalian MutS homologue 5 is required for chromosome pairing in meiosis.**
Nat Genet. 1999 Jan;21(1):123-7.
PMID: 9916805 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Apr 13 2004 06:53:40



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books

Search PubMed for Pollard J AND MSH4 Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Text Version

1: Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane MF, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edlmann W. Related Articles, Links

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities



MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.

Genes Dev. 2000 May 1;14(9):1085-97.

PMID: 10809667 [PubMed - indexed for MEDLINE]

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Apr 13 2004 06:53:40



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br


Search PubMed for Edelman W AND MSH4 Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Text Version

1: Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane MF, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edelman W. Related Articles, Links

 MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.
Genes Dev. 2000 May 1;14(9):1085-97.
PMID: 10809667 [PubMed - indexed for MEDLINE]

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Libraries

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts


ClinicalTrials.gov

PubMed Central

Privacy Policy

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Apr 13 2004 06:53:49



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Edelmann W AND MSH5 Go Clear

Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Items 1-3 of 3

One page.

Text Version

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Libraries

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

- ☐ 1: [Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane MF, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edelmann W.](#) Related Articles, Links

MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.
Genes Dev. 2000 May 1;14(9):1085-97.
PMID: 10809667 [PubMed - indexed for MEDLINE]


- ☐ 2: [Heyer J, Yang K, Lipkin M, Edelmann W, Kucherlapati R.](#) Related Articles, Links

Mouse models for colorectal cancer.
Oncogene. 1999 Sep 20;18(38):5325-33. Review.
PMID: 10498885 [PubMed - indexed for MEDLINE]

- ☐ 3: [Edelmann W, Cohen PE, Kneitz B, Winand N, Lia M, Heyer J, Kolodner R, Pollard JW, Kucherlapati R.](#) Related Articles, Links

Mammalian MutS homologue 5 is required for chromosome pairing in meiosis.
Nat Genet. 1999 Jan;21(1):123-7.
PMID: 9916805 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Cohen P AND MSH5 Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Text Version

Items 1-3 of 3

One page.

Entrez PubMed

[Overview](#)
[Help | FAQ](#)
[Tutorial](#)
[New/Noteworthy](#)
[E-Utilities](#)

PubMed Services

[Journals Database](#)
[MeSH Database](#)
[Single Citation Matcher](#)
[Batch Citation Matcher](#)
[Clinical Queries](#)
[LinkOut](#)
[Cubby](#)


Related Resources

[Order Documents](#)
[NLM Gateway](#)
[TOXNET](#)
[Consumer Health](#)
[Clinical Alerts](#)
[ClinicalTrials.gov](#)
[PubMed Central](#)[Privacy Policy](#)

- ☐ 1: [Lipkin SM, Moens PB, Wang V, Lenzi M, Shanmugarajah D, Gilgeous A, Thomas J, Cheng J, Touchman JW, Green ED, Schwartzberg P, Collins FS, Cohen PE.](#) [Related Articles, Links](#)
Meiotic arrest and aneuploidy in MLH3-deficient mice.
Nat Genet. 2002 Aug;31(4):385-90. Epub 2002 Jul 01.
PMID: 12091911 [PubMed - indexed for MEDLINE]
- ☐ 2: [Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane MF, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edlmann W.](#) [Related Articles, Links](#)
MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.
Genes Dev. 2000 May 1;14(9):1085-97.
PMID: 10809667 [PubMed - indexed for MEDLINE]
- ☐ 3: [Edlmann W, Cohen PE, Kneitz B, Winand N, Lia M, Heyer J, Kolodner R, Pollard JW, Kucherlapati R.](#) [Related Articles, Links](#)
Mammalian MutS homologue 5 is required for chromosome pairing in meiosis.
Nat Genet. 1999 Jan;21(1):123-7.
PMID: 9916805 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)

Apr 13 2004 06:53:40



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br
Search PubMed for Cohen P AND MSH4 Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Items 1-3 of 3

One page.

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Libraries

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Lipkin SM, Moens PB, Wang V, Lenzi M, Shanmugarajah D, Gilgeous A, Thomas J, Cheng J, Touchman JW, Green ED, Schwartzberg P, Collins FS, Cohen PE.](#)

[Related Articles, Links](#)



Meiotic arrest and aneuploidy in MLH3-deficient mice.

Nat Genet. 2002 Aug;31(4):385-90. Epub 2002 Jul 01.

PMID: 12091911 [PubMed - indexed for MEDLINE]

☐ 2: [Moens PB, Kolas NK, Tarsounas M, Marcon E, Cohen PE, Spyropoulos B.](#)

[Related Articles, Links](#)



The time course and chromosomal localization of recombination-related proteins at meiosis in the mouse are compatible with models that can resolve the early DNA-DNA interactions without reciprocal recombination.

J Cell Sci. 2002 Apr 15;115(Pt 8):1611-22.

PMID: 11950880 [PubMed - indexed for MEDLINE]

☐ 3: [Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane MF, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edelman W.](#)

[Related Articles, Links](#)



MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.

Genes Dev. 2000 May 1;14(9):1085-97.


PMID: 10809667 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)

[NCBI | NLM | NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act | Disclaimer](#)



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br
Search PubMed for Kneitz B AND MSH4 Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Text Version

☐ 1: Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane MF, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edelman W. Related Articles, Links

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Libraries



MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.

Genes Dev. 2000 May 1;14(9):1085-97.

PMID: 10809667 [PubMed - indexed for MEDLINE]

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy


[Write to the Help Desk](#)

[NCBI | NLM | NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act | Disclaimer](#)

Apr 13 2004 06:53:40



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Kneitz B AND MSH5 Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Items 1-2 of 2

One page.

Text Version

Entrez PubMed

[Overview](#)[Help | FAQ](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)

PubMed Services

[Journals Database](#)[MeSH Database](#)[Single Citation Matcher](#)[Batch Citation Matcher](#)[Clinical Queries](#)[LinkOut](#)[Cubby](#)

Related Resources

[Order Documents](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)[Privacy Policy](#)

- ☐ 1: [Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane MF, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edelmann W.](#) Related Articles, Links


MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.
Genes Dev. 2000 May 1;14(9):1085-97.
PMID: 10809667 [PubMed - indexed for MEDLINE]

- ☐ 2: [Edelmann W, Cohen PE, Kneitz B, Winand N, Lia M, Heyer J, Kolodner R, Pollard JW, Kucherlapati R.](#) Related Articles, Links

Mammalian MutS homologue 5 is required for chromosome pairing in meiosis.
Nat Genet. 1999 Jan;21(1):123-7.
PMID: 9916805 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Apr 13 2004 06:53:40



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br
Search PubMed for Stevis P AND MSH5 Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

No items found.

Text Version

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby


Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)

Apr 13 2004 06:53:40



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br
Search PubMed for Stevis P AND MSH4 Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

No items found.

Text Version

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)

Apr 13 2004 06:53:46



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Kucherlapati R AND MSH4 Go Clear
Limits Preview/Index History Clipboard Details


About Entrez

Display Summary Show: 20 Sort Send to Text

Text Version

1: Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane MF, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edelman W. Related Articles, Links

Entrez PubMed
Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Libraries

 MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.
Genes Dev. 2000 May 1;14(9):1085-97.
PMID: 10809667 [PubMed - indexed for MEDLINE]

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby


Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Apr 13 2004 06:53:49



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Kucherlapati R AND MSH5 Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Items 1-3 of 3

One page.

Text Version

Entrez PubMed

[Overview](#)
[Help | FAQ](#)
[Tutorial](#)
[New/Noteworthy](#)
[E-Utilities](#)

PubMed Services

[Journals Database](#)
[MeSH Database](#)
[Single Citation Matcher](#)
[Batch Citation Matcher](#)
[Clinical Queries](#)
[LinkOut](#)
[Cubby](#)

Related Resources

[Order Documents](#)
[NLM Gateway](#)
[TOXNET](#)
[Consumer Health](#)
[Clinical Alerts](#)
[ClinicalTrials.gov](#)
[PubMed Central](#)[Privacy Policy](#)

- ☐ 1: [Kneitz B, Cohen PE, Avdievich E, Zhu L, Kane MF, Hou H Jr, Kolodner RD, Kucherlapati R, Pollard JW, Edelmann W.](#) [Related Articles, Links](#)
MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice.
Genes Dev. 2000 May 1;14(9):1085-97.
PMID: 10809667 [PubMed - indexed for MEDLINE]
- ☐ 2: [Heyer J, Yang K, Lipkin M, Edelmann W, Kucherlapati R.](#) [Related Articles, Links](#)
Mouse models for colorectal cancer.
Oncogene. 1999 Sep 20;18(38):5325-33. Review.
PMID: 10498885 [PubMed - indexed for MEDLINE]
- ☐ 3: [Edelmann W, Cohen PE, Kneitz B, Winand N, Lia M, Heyer J, Kolodner R, Pollard JW, Kucherlapati R.](#) [Related Articles, Links](#)
Mammalian MutS homologue 5 is required for chromosome pairing in meiosis.
Nat Genet. 1999 Jan;21(1):123-7.
PMID: 9916805 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)[NCBI | NLM | NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act | Disclaimer](#)

Apr 13 2004 06:53:40